

Example Distribution Line Project Sheets Sharon Strafford – GMP Royalton District Sharon Sub (SH-G35) – 1,337 Customers

Improvement:	Hendrix L.29 P.180 to P.295
Worst Circuit Ranking (out of 281):	#1
Ice Estimate (Annual)	\$121,422.05
Customer Demographic:	Residential
Est. Customers in Project:	1337
Total Customer Hrs Out (CHO):	22903
CAIDI:	6.4
SAIFI:	1.9
SAIDI:	11.9
Assets Age > 40 Years Old:	Yes
Asset Condition – Plant:	Poor
Asset Location:	Existing X-Country
Asset Type – Wire:	Bare



Townsend, Wardsboro, Dover – GMP Brattleboro District East Jamaica Sub (EJ-G7) – 2617 Customers

LVH4A P30-P102
#2
\$286,070.57
Residential
353
15018
5.3
6.8
35.9
Yes
Poor
Road / X-Country
Bare



Londonderry & Weston – GMP Springfield District Londonderry Sub (LO-G27) - 1,844 Customers

Improvement:	Spacer Cable L.6 P.1 to Weston Village
Worst Circuit Ranking (out of 281):	#5
Ice Estimate (Annual)	\$233,342.02
Customer Demographic:	Village / City
Est. Customers in Project:	1,007
Total Customer Hrs Out (CHO):	90261
CAIDI:	12.8
SAIFI:	2.7
SAIDI:	34.6
Assets Age > 40 Years Old:	Yes
Asset Condition – Plant:	Poor
Asset Location:	Road / X-Country
Asset Type – Wire:	Bare



Windham – GMP Springfield District Londonderry Sub (LO-G26) - 963 Customers

Improvement:	Covered Wire L.15 to into Windham
Worst Circuit Ranking (out of 281):	#4
Ice Estimate (Annual)	\$276,292.01
Customer Demographic:	Village / City
Est. Customers in Project:	349
Total Customer Hrs Out (CHO):	7240
CAIDI:	6.1
SAIFI:	3.4
SAIDI:	20.7
Assets Age > 40 Years Old:	Yes
Asset Condition – Plant:	Poor
Asset Location:	Road / X-Country
Asset Type – Wire:	Bare

